

Subcontractor Site Safety Requirements and Procedures

INTRODUCTION

The enclosed information addresses expectations of Subcontractors, Tier Subcontractors, and their invitees (herein called subcontractors) visiting or performing work on Power projects.

Each subcontractor working on Power projects is obligated to comply with all Federal, State and Local safety requirements, Site Specific Safety Programs, and any Owner/Tenant/Facility Safety Requirements (herein after called safety requirements). These safety requirements constitute the minimum level of performance expected from each employer and its employees or their subcontractors, or agents. In addition, subcontractors are responsible for adherence to site-specific safety requirements defined by the project. All subcontractors shall adhere to these requirements for the performance of their work on Power projects designed to promote the project's safe completion.

SUBCONTRACTOR COMPLIANCE

In accordance with the OSHA requirements, each subcontractor shall protect the employment and places of employment of each of its employees engaged in construction work by complying with the appropriate standards prescribed in the applicable standards. Subcontractors shall hold each of their agents, vendors, tier subcontractors and suppliers responsible for compliance with these safety requirements. Subcontractors shall include these safety requirements in contracts with all tier subcontractors, vendors and suppliers. Entry onto project, property, or the job site constitutes acknowledgement by the subcontractor, subcontractor employees or invitee of their obligation to adhere to these safety requirements.

Power Construction and the Occupational Safety and Health Administration (OSHA) have joined in a strategic partnership known as the Voluntary Protection Program (VPP). The VPP is a cooperative program between employees, unions, management, and OSHA. The VPP is designed to recognize and promote programs that achieve a safer, healthier work environment beyond the requirements of the OSHA standard. Power Construction is part of the VPP Mobile Workforce division and has been awarded the designation of STAR status. As such, all contractors are expected to follow the elements of the VPP program which may include additional reporting to Power Construction.

Each subcontractor shall establish and maintain an effective safety and health program that addresses the requirements herein. The subcontractor shall be solely responsible for implementing the safety program and shall have sole responsibility for monitoring the work of its employees, subcontractors, agents, vendors and suppliers to ensure compliance. The subcontractor is responsible for procuring and compliance with the current version of Power's Subcontractor Site Safety Requirements and Procedures. This document along with additional safety resources, forms and templates can be located at <http://www.powerconstruction.net/subcontractor-partners>. A copy of any referenced form or policy in this document may be available upon written request.

For projects designated to be covered by General Contractor's CCIP as identified in the Project Specific Agreement's Exhibit C, and in addition to any project specific requirements defined herein, Subcontractor shall also be held to the requirements defined in the [Appendix A – CCIP Safety Program Requirements](#) of this document.

VIOLATION OF SAFETY REQUIREMENTS

If a subcontractor or invitee is found non-compliant to any of the safety requirements, the subcontractor and employee(s) may be subject to the following (one or more):



Subcontractor Site Safety Requirements and Procedures

- At a minimum, the resulting action may result in a written warning;
- Individual(s) may be removed from the project for a specified duration;
- Individual(s) may be removed from project and/or future Power projects;
- Re-training for individual(s), crew and /or foreman;
- A \$1,000 fine per occurrence;
- Additional full-time supervision and/or safety representative to the project at the subcontractor's expense;
- A meeting may be conducted with the subcontractor's supervisor and management, and the Power Project Team. The meeting should conclude in a documented agreement outlining the subcontractor's intended corrective actions and timeframe for implementation;
- Removal of unsafe condition by using other work forces, the cost of which will be reimbursed through back charges or provisions of the contract;
- Power may exercise its option to terminate all or part of the contract or withhold payment with the subcontractor for inadequate safety performance, or failure to fulfill any of the safety requirements of the contract;
- Any resulting damages (including damage for delay) will be paid for in accordance with the subcontract.

All costs and expenses paid or incurred by a subcontractor in the implementation and administration of the safety requirements shall be paid by said subcontractor.

When violations of the safety requirements are observed, the responsible subcontractor shall be informed orally for immediate correction. It is the sole responsibility of the subcontractor to devise and implement the correction. If Power deems it is necessary to stop work being performed due to the nature of a violation, work will be halted until the subcontractor corrects the violations. Any costs incurred by the stoppage of work due to the violation will be the sole responsibility of the violating subcontractor.

DESIGNATION OF COMPETENT PERSON

Each subcontractor shall designate a competent person as defined by OSHA 29 CFR 1926.32(f) to implement the safety requirements. A competent person from each subcontractor must be on site whenever they have employees working on site, and the name of that person shall be submitted on the Power Daily Report. Each subcontractor is required to maintain this position, and a competent person(s) will remain on-site until the completion of their work. The subcontractor shall not relinquish or defer responsibility for project safety to its own or subcontractor employees at any time under any circumstances. Where the nature or size of the contract warrants, Power may require the subcontractor to employ a full-time, on-site qualified Safety Representative.

The subcontractor must provide proof of this training to Power prior to commencing work on site. Subcontractors may fulfill the competent person requirement for tier subcontractors granted the subcontractor competent person remains at the project full-time while the tier sub employees are working. Otherwise, the tier subcontractor is responsible for providing the competent person based on the aforementioned criteria. Each subcontractor is solely responsible for ensuring employees have the training required as part of this policy and any other federal, state or local requirement. Any questions or variance requests must be directed to Power's Safety Department for consideration.

Subcontractor Site Safety Requirements and Procedures

The following trade contractors are required to provide a competent person who has completed, at a minimum, the OSHA 30-hour Outreach Training Program for Construction within the previous six years at the project full-time when said subcontractor has 3 or more employees or is working on-site for the duration of more than 5 sequential working days. The subcontractor must provide proof of this training to Power prior to commencing work on site.

- All structure related activities;
- Miscellaneous metals (stairs, framing, supports, etc.);
- Mechanical trades:
 - Mechanical pipe and HVAC;
 - Electrical;
 - Plumbing;
 - Fire Protection;
 - Pool Installers.
- Excavators and underground utility work;
- Enclosure trades:
 - Windows;
 - Stone and Masonry;
 - Metal panels;
 - EIFS (Exterior Insulated Finishing System);
 - Roofing.
- Rough carpentry:
 - Doors, frames and hardware;
 - Interior and exterior framing, insulating, siding, sheeting, and drywall.
- Elevator and escalator installer;
- Foundations;
- Earth retention systems;
- Millwright;
- Demolition.

All other trades or when said subcontractor has 2 or less employees or is working on-site for the duration of less than 5 sequential working days are required to provide a competent person who has completed, at a minimum, the OSHA 10-hour Outreach Training Program for Construction within the previous six years at the project full-time. Based on the risk associated with the subcontractor's work, Power may require additional training for the competent person or additional competent persons for the specific project.

Subcontractor Safety Representation

The subcontractor's designated Corporate Safety Representative is expected to make at a minimum monthly jobsite visit to audit implementation of the subcontractor's safety and health plan and the safety requirements. This representative will also be required to attend regular on-site safety meetings, as determined by Power. Additional on-site safety and health staffing will be defined in the individual trade scopes. The subcontractor must provide a documented inspection of the subcontractor's work area(s) by an individual not assigned to the daily operations on-site (i.e., safety representative, insurance

Subcontractor Site Safety Requirements and Procedures

loss control representative, etc.) at a minimum of once per month uploaded to Power's safety management software.

OSHA AND STATE AGENCY INSPECTIONS

If after an inspection, a subcontractor receives any citation(s), a copy of all citations shall be immediately provided to Power.

It is the responsibility of the subcontractor to notify Power and OSHA of any reportable injury under the Recordkeeping regulation (29 CFR 1904) which includes any work-related fatality, inpatient hospitalization, amputation, or loss of an eye. A copy of the notification to OSHA shall be provided to Power within 8 hours of initial report.

Power collaborates with OSHA, which may involve government employees accessing the project. Contractors are expected to participate in said activities and make employees available for inquiries that stem from these visits.

TRAINING AND MEETING REQUIREMENTS

Preconstruction Meeting

Subcontractors shall ensure that their project management and other key personnel, including their Site Supervisor and Safety Representative at a minimum, attend a pre-construction meeting with the Power project management staff where planning for safe execution of the project will be addressed.

Site Safety Orientation

Prior to starting work on the Project, all on-site employees are required to go to <https://pcec.hammertechonline.com>, select the project you will be working on, and complete enrollment and general orientation which will be valid for 1 year. The orientation will cover general safety and health rules, regulations, policies, and hazards. Once on site, workers will be provided with a site-specific orientation which will cover emergency procedures, facilities, noticeboard locations, etc. The orientation serves as the verbal warning for safety requirements for all individuals on the project. The subcontractor shall be responsible for scheduling orientation of their employees and visitors with Power. If an individual is found on-site without having received the training, that person will be removed from the project for the remainder of the day, and the crew foreman may be disciplined.

Foreman's Site Requirements Review

The foreman identified by the subcontractor will complete a review of the safety requirements and expectations with a member of the Power project team as well as training on how to develop, facilitate and document an effective daily huddle. If the subcontractor has additional foreman or changes foreman on the project, these individuals must also complete this review.

Foremen's Meeting

Foreman's meetings will typically be conducted on site. The date and time of these meetings will be determined by the project team. Attendance is expected from each subcontractor unless excused by Power.

Subcontractor Site Safety Requirements and Procedures

Safety Review

Following an incident or safety issue, Power may request a meeting be held with the parties involved to discuss the incident or issue in greater detail (i.e., Root Cause Analysis). Requested subcontractors shall attend and participate in the investigation, discussion, and develop an action plan.

Safety Specific Meetings

As required by and at Power's discretion, site-wide safety meetings, training webinars, or stand downs will be conducted and subcontractor representative and/or employee attendance and participation will be required for said meetings. Power expects subcontractors to cooperate with and participate in additional training exercises conducted at the project (i.e., OSHA Training Institute visits or partnership meetings).

INJURY CARE AND MEDICAL FACILITY

Each subcontractor is responsible for establishing a medical facility for use by employees who sustain a work-related injury. The facility to be used shall be communicated to the subcontractor's employees. The subcontractor is responsible for all costs borne out of medical treatment, substance abuse testing, and any other associated costs (Power is not to be charged for any treatment costs including substance abuse testing). Subcontractor shall implement the use of universal precautions regarding the clean-up of blood or other potentially infectious materials following the treatment of injuries on-site.

Each subcontractor is to provide an appropriately sized First Aid kit that is maintained, inspected, and adequately stocked. The location of the kit shall be communicated with the subcontractor's employees. Subcontractors who have 3 or more employees or are working on-site for the duration of more than 5 sequential working days shall provide and keep on-site an individual trained in first aid and CPR.

DOCUMENTATION AND REPORTING

Site-Specific Safety and Health Plan

Each subcontractor having 3 or more employees or is working for 5 or more sequential days shall establish and submit for review to Power's safety management software a written Site-Specific Safety and Health Plan that includes details commensurate with the work to be performed. Contractors that do not meet these parameters will either submit a Site-Specific Safety and Health Plan or a Job Hazard Analysis which identifies the work procedure/method, exposures, controls, competent person identification, and emergency procedures. The subcontractor must submit these via the electronic forms process. The subcontractor's Site-Specific Safety and Health Plan shall clearly describe the subcontractor's methods for meeting its obligations to provide a safe and healthful work environment, as well as to protect other trades, vendors, visitors and members of the general public from the exposures generated by the subcontractor's work. The subcontractor's Company Safety Manual will not be accepted as a substitution for a Site-Specific Safety and Health Plan, however portions of the manual as it applies to the subcontractor's work shall be made available to Power and provided within 24 hours upon request. As a condition of their contract, all Subcontractors shall submit to Power or designee a Site-Specific Safety and Health Plan within fifteen (15) days after receipt of notice to proceed and prior to start of construction activities that includes, at minimum, the following:

- A written Project Site-Specific Safety and Health Plan submitted electronically through electronic forms process;
- Identify safety roles and responsibilities for subcontractor employees;
- Subcontractor's disciplinary action program;



Subcontractor Site Safety Requirements and Procedures

- Process for managing tier subcontractors;
- Hazard Communication Program, including electronic copies of current SDS for materials brought on-site uploaded individually to Power's electronic forms platform;
- Heat Illness and/or Cold Stress Prevention Plan (based on site conditions during scope of work);
- Specific job hazard identification and worker training (i.e., qualified rigger training);
- Job Hazard Analysis plan;
- Silica Hazard Assessment and applicable Exposure Control Plan;
- Emergency procedures including a designated clinic with address, phone number and map;
- Competent person qualifications and training records.

The subcontractor shall be solely responsible for implementing the Site-Specific Safety and Health Plan as well as other safety requirements.

Safety plans submitted for review and not accepted shall be revised and resubmitted within 5 working days, or prior to their start date, whichever is sooner.

Job Hazard Analysis (JHA)

Detailed JHA's identifying **each** scope of work, potential risks while performing that work and how those hazards will be addressed associated with the Subcontractor's scope of work are required as part of the subcontractor site-specific safety and health plan submittal. The Subcontractor shall also prepare additional JHA's upon request and modify as the work process and/or associated risks change. These procedures will be reviewed with all affected employees prior to starting the work or after modifications to the JHA, by the subcontractor.

Electronic Forms Process

Each subcontractor is solely responsible for providing access and the ability, to their on-site project supervision, to upload and manage electronic documents required by Power Construction. This includes providing, at minimum, internet access and a device (tablet or computer) to their project supervisor.

Power Construction will provide portal access and initial use training as needed at no cost to the subcontractor and their tier subcontractors. All subcontractors are required to utilize the electronic forms process regardless of the scope of their work, contract value, subcontractor processes and forms, etc. This includes but is not limited to submission of safety plans, JHAs, SDS, daily reports, training records, and permits, registering personnel for orientation, and responding to observations. Failure to provide documentation outlined in this section in its required timeframe will be a violation of this document resulting in disciplinary action, withholding of payment, and/or work stoppage.

Daily Report Process

Each subcontractor, including tier subcontractors, must submit to Power, on a daily basis, a Daily Report. Subcontractor must complete all the information required on the Daily Report through Power's electronic forms platform process outlined above. Each subcontractor will be responsible for conducting a daily huddle with each crew prior to starting work to identify the work activities for the day, the associated hazards of the work and the control measures to be implemented. If the prime subcontractor elects to include their tier subcontractor on their daily report, all required information regarding employees is to be identified on the form.

Subcontractor Site Safety Requirements and Procedures

Toolbox Talks

Each subcontractor shall conduct weekly toolbox safety meetings relevant to the work being performed by their employees. The toolbox talk or a description of the topic discussed along with all attendees' names shall be submitted to Power utilizing the electronic forms process.

Safety Inspections

In accordance with OSHA, each subcontractor shall perform frequent and regular safety inspections of their work area(s), materials, and equipment by a competent person. A copy of the report or documented inspection shall be submitted to Power within 24-hours of the commencement of the inspection. Subcontractor supervisors shall take immediate action to correct violations, unsafe practices, and unsafe conditions. The subcontractor will be solely responsible to review and monitor the work area or location of all their employees on a regular basis during the performance of work.

Incident Reporting

Subcontractors are responsible to immediately notify Power of all incidents including personal injuries and illnesses, near hits (defined as an occurrence that has the attributes of an incident yet has no apparent damage to person or property), project property losses or damages, utility strikes and service disruptions, and incidents involving the public or their property.

Each subcontractor is required to investigate all incidents incurred by their employees, or incidents that are the result of their operations. Each subcontractor shall provide to Power a documented Incident Investigation Report within 24-hours of the occurrence to include any injured employee disposition and updates to their work status (restrictions/lost time) thereafter.

Power may conduct an independent investigation at their own discretion or when they deem it necessary as a supplement to that required of the subcontractor. Subcontractors and their employees are expected to fully cooperate with the investigation process including completion of witness statements, photographs, completion of Power required documents and any other elements of the incident investigation process. When requested, subcontractors involved in the incident shall participate in Incident Review Meetings. As part of the investigation, Power may seize any tool, material, equipment, or other article associated with the incident.

Digital and Social Media

Subcontractors, their representatives, invitees, and visitors are prohibited from taking photos, video, or other forms of media on the project, and sharing this information without prior approval from Power Construction. Individuals are not permitted to post digital media to social media applications (public or private). Additional restrictions or requirements may exist on a project-specific basis as dictated by the project's owner.

SUBSTANCE ABUSE POLICY

The illegal use or abuse of drugs and or alcohol constitutes a threat to the safety and health of employees and the general public. The Substance Abuse Policy requires employees to report to work fit for duty, and to perform their work, free of detectable levels of drugs, alcohol, or other substances, which may affect their ability to work safely. Each subcontractor shall establish and maintain an effective substance abuse program that at minimum is equivalent to Power's **Substance Abuse Policy**. Drug and alcohol testing is required of subcontractor employees in the following situations:

Subcontractor Site Safety Requirements and Procedures

- If there is reasonable suspicion that the individual is under the influence of drugs or alcohol (*immediate testing required*);
- If the individual has sustained a work-related injury requiring outside medical attention (*immediate testing required*);
- If the individual has caused or contributed to another employee being injured in a work-related incident (*immediate testing required*);
- If the individual has caused or contributed to a work-related incident resulting in, or which has the potential to result in, property damage (*immediate testing required*);
- If the individual was involved in a “near hit”, defined as an occurrence that has the attributes of an incident, yet has no apparent damage to person or property (*immediate testing may be required*).

Subcontractor employees who fail to provide proof of a required drug and alcohol test, refuse the required test, or violate the subcontractor's substance abuse policy will not be permitted on Power sites.

All costs associated with any substance abuse testing are the responsibility of the subcontractor.

Subcontractor Site Safety Requirements and Procedures

SPECIFIC REQUIREMENTS

GENERAL SAFETY REQUIREMENTS

- Subcontractors must report to the Power Project Team any safety concerns, observed conditions or violations of job safety, regardless of whether they are within the observer's power or responsibility to correct.
- Subcontractors shall assure that supervisory employees have a working knowledge of applicable safety requirements as they pertain to their areas and encourage all employees to improve their accident prevention awareness.
- Smoking or vaping is prohibited at any time in any project field office or Power office. In addition, smoking or vaping will not be permitted anywhere within the building in the following situations:
 - In a build-out or addition to an occupied building (tie-in to existing structure);
 - When the window installation has begun;
 - When any temporary or permanent enclosure is installed (partial or complete) on the building;
 - When site-specific requirements prohibit smoking on the project or the campus;
 - In any other areas identified as "Non-smoking" on the project;
 - As stated in local jurisdiction's smoking and vaping restrictions.
- The use of personal headphones or ear pods that impede the employee's ability to hear emergency notification or other instructions while on-site is not allowed.
- Radios are not permitted in work areas adjacent to occupied spaces or when the project does not allow their use. Power's project supervisor will determine radio use in stand-alone buildings.

HOUSEKEEPING & ENVIRONMENT

Each subcontractor shall be responsible for daily and continual clean-up during and upon completion of work activities and shall leave the work areas broom swept. In addition, the following items are required as applicable:

- Subcontractor is responsible for dust elimination/minimization during construction and the clean-up process. Subcontractors are responsible for assuring that trash and debris remain out of the work areas. Dry-sweeping of silica-containing materials is prohibited; subcontractors must use HEPA-vacuum systems, wet-sweeping, or other methods to control potential silica hazards.
- Non-oil-based sweeping compound or other dust control measures must be used during sweeping operations.
- Subcontractors shall monitor their work areas daily or more frequently if needed to assure that all debris is removed from the work area to minimize hazards.
- Each subcontractor is responsible to provide resources to move their trash and debris to an area designated by Power. If debris is not removed on a timely basis, or after appropriate warning, Power will provide resources to remove the debris and the responsible subcontractor will be responsible for costs incurred.
- Grinding, sawing, sanding, and cutting operations should utilize dustless tool systems where airborne particulates become present due to their work and other dust control methods are not feasible (in accordance with 29 CFR 1926.1153 and other applicable requirements).

Effective housekeeping should not be an assigned task; it is considered a part of each employee's responsibility. Keeping the work site clean not only produces a safer job site, but a better place to come

Subcontractor Site Safety Requirements and Procedures

to work each day. It is each employee's responsibility to keep their work area in order, cleaning-up during and after work is completed.

Atmospheric Hazards, Air Monitoring, and Sampling

Subcontractors are required to provide air monitoring and/or air sampling for environmental exposure to hazardous atmospheres generated by their operations. The subcontractor must provide evidence of and results from air monitoring and/or air sampling to Power Construction. The subcontractor creating the atmospheric hazard is solely responsible for providing site-specific plans and implementing control measures (i.e., smoke eaters, HEPA machines) to protect fellow workers, building occupants, building systems, and any other potentially affected entities. Additional signage and notification must be installed by the creating contractor to warn all employees of potential exposures (i.e., lasers, silica, etc.).

Heat Illness and Cold Stress Prevention

Subcontractors with heat and/or cold stress exposures must provide a Site-Specific Safety and Health Plan that details their methods for preventing injuries or illnesses caused by exposure to extreme heat or cold, tailored to the specific risks during their scope of work. A Heat Illness Prevention plan must include, at minimum: employee training, acclimatization, weather, temperature and heat index tracking, and water, rest, and shade provisions. Cold Stress Prevention plans must include, at minimum: employee training, acclimatization, weather, temperature and wind chill tracking, and rest, shelter, and active warming provisions. An emergency action plan shall be prepared to respond to common heat illnesses and cold stress.

PERSONAL PROTECTIVE EQUIPMENT

Each subcontractor is solely responsible for supplying their employees with the required proper-fitting Personal Protective Equipment and training on the proper use, wear, maintenance, and replacement protocols. Additional PPE requirements are determined by subcontractor's policy, project-specific hazards, task demands, Daily Huddles, and/or Job Hazard Analysis. Each subcontractor is solely responsible for evaluating the need for PPE, defining the specific type of PPE, supplying the required equipment, and ensuring utilization of the said equipment.

Eye and Face Protection

- All employees shall wear safety glasses 100% of the time while on the construction site. Minimum eye protection shall include approved safety glasses with side-shields which meet the standards specified in ANSI/ISEA Z-87.1-2015 (this shall also include prescription eyewear).
- Additional eye (goggles) and face protection (face shield that covers entire face) shall be worn when:
 - Welding, burning or cutting with torches;
 - Using portable grinders, masonry, tile, and partner saws;
 - Drilling or cutting at or above shoulder level;
 - Chipping concrete, stone or metal;
 - Working with any materials subject to scaling, flaking or chipping;
 - Drilling or working under dusty conditions;
 - Using explosive actuated fastening or nailing tools at or above shoulder level;
 - Cleaning with compressed air;

Subcontractor Site Safety Requirements and Procedures

Head Protection

- All employees, vendors, delivery personnel and other visitors to the project shall wear hard hats that meet ANSI/ISEA Z-89.1-2014, 100% of the time while on the construction site (including while wearing face shields, welding helmets, etc.). Hard hats should be worn facing forward, with the bill in front (unless manufacturer permits the hard hat to be worn with bill facing back and situation dictates the hard hat to be worn with the bill facing back).

Foot Protection

- All personnel on the construction site shall wear hard-soled work shoes. No one is permitted to wear sneakers, tennis shoes or athletic shoes of any type, sandals, high heels or open-toed shoes on the construction site. Additional foot protection may be required depending on work activity as dictated by subcontractor's JHA (i.e., metatarsal guards while jackhammering).

Respiratory Protection

If respiratory protection is required to protect employees from exposures to airborne contaminants, subcontractors must adhere to the following:

- Compliance with the applicable standards (respiratory, specific contaminants, etc.);
- Annual medical clearance for employee;
- Annual fit-testing for employee;
- Training for employee on respirator;
- Written respiratory protection program;
- Validation of respirator selection based on sampling or historical data (subcontractor is solely responsible for air sampling).

Hearing Protection

- Hearing protection is required in accordance with OSHA standards.

Clothing

Subcontractor employees must meet the following as it relates to clothing on Power projects:

- Long pants and shirts that are free of damage, inappropriate wording or symbols, and cover the shoulders and mid-section;
- High-visibility material when exposed to vehicles and equipment traffic;
- Reflective garments (ANSI/ISEA 107 classification) are required as follows:
 - When flagging traffic;
 - During times of low visibility (i.e., heavy rain/night)
- Hand and forearm protection as required by job hazard analysis, project, or task-specific requirement (i.e., reaching through metal studs, handling metal stock, or working above ceiling or in walls with low visibility);
- Protective clothing as required based on the job hazard analysis;
- Any other additional PPE in accordance with project or task -specific requirements or job hazard analysis.

FALL PROTECTION AND ACCESS REQUIREMENTS

As part of the planning process, subcontractors are required to identify the means necessary to safely access the work areas included in their scope of work. These methods, including fall protection measures, should be identified in site-specific safety and health plans, Job Hazard Analysis', Daily

Subcontractor Site Safety Requirements and Procedures

Huddles and other documentation. If a subcontractor intends to take temporary or permanent ownership of any equipment, a **Hold Harmless and Equipment Lease Agreement** shall be executed.

Fall Protection and Prevention

All individuals exposed to fall hazards greater than 6' above a lower level shall be protected by means of fall prevention or fall protection devices. Where fall hazards cannot be eliminated, 100% continuous fall protection for fall hazards greater than six (6') feet shall be implemented. Subcontractors are solely responsible for determining the methods used for fall protection, installation of methods, inspection and maintenance of methods; and training employees on the fall protection methods. In addition, the following items and scenarios are included as part of this requirement:

- Employees working above a guardrail must utilize fall protection;
- Employees utilizing a ladder in accordance with applicable requirements are not required to maintain additional fall protection except where exposed to a fall to a level below where the ladder is placed;
- Employees working in proximity to trenches and excavations will follow the parameters outlined in Subpart M;
- Subcontractors involved in roofing operations must determine the appropriate fall protection method for their operation based on feasibility;
- Each Subcontractor shall be responsible for outlining specific means and methods for meeting fall protection requirements in their Job Hazard Analysis. The JHA shall consider all factors of feasible protection including leading edge work, anchorage point below the d-ring, etc. The JHA shall detail in writing when fall protection is required, what equipment and systems will be utilized, the training users of the system have received, and how this protection is to be installed and used. Provisions for prompt rescue and suspension trauma prevention in the event of a fall shall also be provided.

All other elements of the 29 CFR 1926 Subpart M are applicable to situations requiring fall protection. In addition, the following items are required as applicable:

- When cable is used as the guardrail system, the system will be 3/8" IWRC-galvanized cables (toprail and midrail), with a minimum of two wire rope clamps at each connection point. Prior to turning over the floor, the cable must be flagged every 6' with high-visibility material (i.e. yellow duct tape and/or debris net). If mesh is used on this guardrail, a third cable (minimum 1/4" IWRC-galvanized cable) will be installed at the top of slab. Tarps and other protective systems are not to be secured to the toprail or midrail cables. If these devices are attached to the bottom cable, the subcontractor is solely responsible for determining if the cable is adequate for supporting the loads imposed by the subcontractor's devices.
- The subcontractor will work with Power to determine the required type of guardrail system and fall protection devices to remain on the project upon subcontractor's completion.
- Guardrail systems are not to be used as attachment points for fall arrest or restraint unless the subcontractor accepts the responsibility for the design, installation, inspection and all other applicable requirements. Subcontractors are responsible for submitting engineered drawings and product data for all horizontal lifeline systems they utilize.
- If a subcontractor needs to remove a guardrail, the subcontractor is required to obtain a ***Guardrail Removal Permit*** from Power. The subcontractor is solely responsible for implementing the temporary measures used to protect their own employees and others working in the surrounding areas. The subcontractor is responsible for strict adherence to the conditions of the permit and final removal and disposal of the guardrail.

Subcontractor Site Safety Requirements and Procedures

- Subcontractor work that necessitates the use of either "Controlled Access Zones", "Authorized Entry Zones", or a "Fall Protection Plan" are required to submit those plans to Power prior to beginning work (for recordkeeping purposes). The subcontractor is solely responsible for determining feasibility of fall protection systems and methods.
- When using a monitoring system, the monitor will wear a reflective vest, so the monitor can be readily identified.
- When utilizing rope-type systems (vertical or horizontal), mechanical methods must be used for securing the rope to the anchor (knots are prohibited). Components of a fall protection system shall be used per manufacturer's recommendations.

Trip and impalement hazards created by subcontractor's installation must be controlled and eliminated by the subcontractor creating the exposure. The following are examples of trip and impalement hazards that must be addressed:

- Electrical conduits pre- and post-concrete placement (eliminated when possible);
- Plumbing conduits that create a trip and impalement hazard protected pre- and post-concrete placement (eliminated when possible);
- Other mechanical conduits and sleeves that create a trip and impalement hazard protected pre- and post-concrete placement (eliminated when possible);
- All holes greater than 2" diameter protected with covers mechanically secured.

Overhead Protection

Subcontractor is responsible for identifying overhead protection and falling object prevention and providing protective measures for protecting the workers on the job as well as the public, and training for all employees on the use and implementation of these measures. Overhead protection must be in place prior to the start of any overhead work that exposes any employee or members of the public to falling objects such as tools, equipment, material, debris (including hot work), etc. on the project or in the vicinity.

Protective measures include but are not limited to:

- Storing material at least 10' away from the building perimeter and 6' from interior openings;
- Secure tools and materials to prevent them from falling during work (i.e., tool tethers) and while not on site in accordance with ANSI/ISEA 121-2023;
- Use restricted access zones, toe boards, screens, nets, canopies or catch platforms to catch or deflect falling objects.

Additional Struck-by Hazards

Subcontractor is responsible for identifying and developing a method of procedure/JHA for all other struck-by hazards as part of their scope of work including:

- Mechanical start up and testing;
- Tool and equipment operation (i.e., power-actuated tool);
- Trucks and heavy equipment;
- Other flying objects;
- Hoisted materials;
- Stored material.

Subcontractor Site Safety Requirements and Procedures

Subcontractors are to provide to Power a method of procedure with specific steps on how mechanical systems will be tested. This plan must include, at minimum:

- Shutdown and release of hazardous energy procedures (manufacturer and/or client);
- Lock-out / Tag-out plan;
- Plan for signage and barricades;
- Confirmation of zero energy state;
- Specific scope for each task (i.e., JHA);
- Re-energization procedures;
- Training of employees;
- All affected stakeholders including roles and responsibilities;
- Notification process;
- Emergency procedures.

Ladders, Stairways, and Ramps

The building frame subcontractor will provide access to the building, for all contractors to use, through the following as soon as reasonably possible:

- Minimize the use of ladders for temporary access;
- Install the permanent access systems (i.e., stairs) within 2 floors of the working floor;
- Install temporary stair tower or similar methods when permanent systems cannot be installed or completed;
- Temporary ramps shall be constructed in accordance with the applicable standard and account for its intended use (i.e., loads, equipment, slip resistance, weather, etc.). If used as a replacement, temporary pedestrian ramps and walkways should be of similar materials as the ramp or walkway it is replacing. Wooden ramps should be avoided whenever possible.
- Provide inspection, maintenance and repair of all access systems.

All ladders and stairways shall be inspected, constructed and used in accordance with 29 CFR 1926 Subpart X, applicable ANSI requirements and local codes. In addition, the following items are required as applicable:

- Portable extension, straight and typical step ladders constructed of conductive materials (metal) are not permitted (drywall step ladders and trench box ladders may be used if no electrical hazard is present);
- Job-made ladders must meet ANSI standards;
- Ladder openings and landings shall be protected from direct access by the subcontractor who supplies the ladder (i.e., corral or swing gate).
- Each subcontractor shall provide ladder training for all employees using ladders;
- Stairs and platforms must be used to provide access to office, equipment and material storage trailers;
- Stairways and ladders must be kept free of flammable materials, stored materials or debris.

Scaffolds

All scaffolds shall be erected, used, and dismantled in accordance with 29 CFR 1926 Subpart L and local codes (i.e., City of Chicago Scaffold Ordinance). In addition, the following items are required as applicable:

Subcontractor Site Safety Requirements and Procedures

- Documentation of training is required for the use, erection, or movement of any scaffold as determined by the authority having jurisdiction and/or OSHA. This documentation must be submitted to Power project management upon request.
- The designated competent person must complete the scaffold inspection prior to allowing workers on the scaffold each shift and provide proof of inspection prior to opening the scaffold for use.
- Scaffolds of any type must be erected in accordance with manufacturer's specifications and requirements.
- Hallway / Narrow Frame (Baker scaffolds) with a working deck above 6', shall adhere to the following:
 - Fall protection required (i.e., guardrails);
 - Outriggers installed;
 - Wheels locked or scaffold secured to prevent movement when occupied;
 - Proper access.
- The working level of a scaffold shall be fully decked, or additional fall protection is required.
- Subcontractors using scaffolds shall adequately guard, barricade or protect areas located below or adjacent to the scaffold.
- Use of existing or newly installed roof davit or tie back anchors must follow the workflow located in [Appendix B – Roof Davit Considerations](#). Certification documentation must be on hand prior to utilizing roof davits or tie back anchors.

Mobile Elevated Work Platforms (MEWP)

All aerial lifts, scissor lifts or boom lifts shall be used in accordance with OSHA standards, ANSI requirements and manufacturer recommendations. In addition, the following items are required as applicable:

- Any employee who is operating or using a MEWP shall be properly trained in the operation, use, and emergency procedures involved with the lift. Documentation shall be made available to Power upon request;
- Employees shall be correctly fall-protected in all ANSI Group B lifts (i.e., articulating boom lifts). The type of fall protection selected shall be one which does not allow employee to leave the basket and/or contact a lower level (i.e., fall restraint);
- Employees working in a MEWP must remain on the platform of the lift in accordance with OSHA requirements and interpretations. Workers are not permitted to stand or sit on the mid- or top-rails of any lift; workers requiring access in these scenarios must use the manufacturer approved step-up platform for each specific machine and the required fall protection devices.

ELECTRICAL SAFETY

Installation and use of temporary and permanent electric and lighting must comply with 29 CFR 1926 Subpart K, National Electric Code, and all manufacturer requirements.

Each subcontractor is responsible for inspecting their hand and power tools and electric cords prior to each use. Damaged equipment shall be removed from service. Any repairs made to electrical components shall be done so by a qualified person.

Jobsite Electric and Lighting

- The electrical subcontractor must provide a Temporary Power and Lighting plan as required for each project. This plan should include, at minimum, the following items:



Subcontractor Site Safety Requirements and Procedures

- Temporary power design and supply in accordance with OSHA and other applicable requirements (outlets within 50' of work areas);
- Temporary lighting design and supply in accordance with OSHA and other applicable requirements (including lighting control for off-hours, lighting efficiency, etc.);
- Inspection of temporary systems;
- Maintenance of temporary systems;
- Methods for protection, securing and labeling of temporary systems including temporary power feeds (i.e., overhead, at ground level or below grade);
- Emergency contacts for managing temporary systems.
- The electrical subcontractor is solely responsible for the design, installation, inspection, maintenance and repair of the temporary electric and lighting system. Any items found to be non-compliant, or non-functioning must be repaired immediately.
- All elements of the temporary electrical system, including GFCI breakers and outlets, wiring, panels, and other equipment, must be tested prior to installation and periodically by the electrical subcontractor. The electrical subcontractor will maintain the record of the tests and provide to Power on a bi-weekly (every other week) basis.
- Temporary electric must be protected by a ground fault circuit interrupter (GFCI) at the source of power and cover plate for both temporary and permanent outlets. The electrical subcontractor responsible for temporary electric panels must post at each panel the name and contact information for the individual identified to address temporary power issues.
- Temporary lighting must be provided at minimum in accordance with OSHA and/or additional contract requirements. Any additional lighting (task lighting) required will be provided by each subcontractor.
- Open conductors/fixed wires must be protected in conduit or equivalent when within 8' of a walking surface or when individual may otherwise be exposed (this can include a locked, secured room, OSHA compliant panels or boxes, and elevating the conductors at least 8' above the walking surface).
- Casting of open wires directly in concrete is prohibited.
- Wire for lighting within stairwells must be protected by conduit or wiring design. Unprotected open conductors are not permitted.
- The electrical subcontractor must supply methods for electrical cord management, for all contractors to use, to avoid creating a trip hazard or in areas where the cord may be damaged. Suspended cords must be secured with a non-conductive material.
- All live circuit panels must have an OSHA compliant panel cover installed. Energized panels are not to be left unattended or unprotected in accordance with NFPA 70E. Panels that are turned off must be properly locked and tagged.
- Whenever work is to be done on a piece of equipment, including building equipment and or subcontractors' equipment, OSHA's Control of Hazardous Energy standard must be followed. Each subcontractor whose scope requires working on energized equipment shall submit a plan in accordance with NFPA 70 E or a Lock-out/Tag-out program to Power prior to performing work. Work on energized equipment should be done under a lock-out/tag-out control whenever possible.
- It is the sole responsibility of the electrical subcontractor to control access to all electrical and data rooms, install required signage, and implement all procedures for working on and around energized parts.

Subcontractor Site Safety Requirements and Procedures

Work Performed in Proximity to Overhead Utilities

Work performed within proximity to overhead powerlines must be completed in accordance with Power's **Utility Locate and Overhead Powerline Policy and Procedures** as well as 29 CFR 1926.1400 and 1926.600.

- Prior to the start of, and during any work in proximity to overhead utilities, the subcontractor shall make a thorough survey of the entire work site to determine the type and location of all utilities. The subcontractor must verify this information with Power by notifying the Project supervisor and shall coordinate construction work in the vicinity of these utilities with the appropriate utility owner.
- The subcontractor shall make employees aware of any precautions and procedures to be followed while working in the proximity of any utility. Appropriate clearance distances shall be maintained throughout the course of the work. If the subcontractor cannot maintain appropriate clearances, they must contact the involved utility and discuss alternative methods for addressing the utility and associated hazards.
- The subcontractor will be required to investigate all contingencies where contacting a utility could adversely affect any operation or render inoperative any protective apparatus in the surrounding area and submit a plan for protection or rerouting of critical systems. This plan shall be turned into Power prior to performing work.

FIRE PROTECTION AND HOT WORK PROCEDURES

All welding and burning work shall be done in accordance with OSHA standards and industry best practices.

- Prior to conducting any activity that generates sparks, heat, flame or other hot work, a **Hot Work Permit** must be obtained from Power.
 - The subcontractor is solely responsible for strict adherence to the requirements outlined in the permit and for providing fire extinguishers for all types of Hot Work.
 - The *Fire Watch Criteria* will dictate the type of Fire Watch required for the Hot Work operations:
 - i) Facility requirements, active fire protection systems near the work, adjacent shafts/roofs/floors/penetrations where sparks or byproduct can drop, and/or nearby flammables/combustibles will require that an independent Fire Watch be present during and for a minimum of 60 minutes after completion of the work provided by the subcontractor;
 - ii) Hot Work performed in a cavity or enclosure that is not completely visible will require that the area is monitored for 60 minutes after completion of the work by the subcontractor;
 - iii) Any other types of Hot Work may not require a Fire Watch (including flooring, unless required by a site-specific policy). This will be coordinated with a Power representative once the permit is opened.
 - The Hot Work Permit is valid for a single shift, opened prior to the start of Hot Work and closed upon completion of the Fire Watch.
 - At minimum, a charged and inspected 10-pound dry chemical ABC fire extinguisher must be within 20 feet of any hot work operation. Each subcontractor is to provide fire extinguishers appropriate for the work they are performing.
 - The area surrounding the hot work operation (minimum 35' radius) must be cleaned of flammables and combustibles prior to the start of the hot work operation. Items that cannot be removed from the area must be covered with flame retardant materials.

Subcontractor Site Safety Requirements and Procedures

- The movement, storage, and use of cylinders shall be done in accordance with OSHA standards.
- Compressed gases will not be stored within confined spaces.
- When compressed gas is stored indoors (i.e., buildings under construction, storage trailers) they shall be kept in well-ventilated, dry locations away from combustibles, stairways, elevators, or building exits/entrances. Propane is not permitted to be stored indoors under any conditions.
- All personnel using gas welding or burning equipment will be fully trained in the use and maintenance of the equipment.
- All containers and hoses must be FM approved or UL listed. The container must have a self-closing lid and a wire mesh flame arrester. If the can is damaged, it is to be removed from site.
- Flammable or combustible liquids should be limited to a one-shift supply when used indoors.
- In accordance with OSHA's Hazard Communication Standard, containers will be clearly marked showing the contents, hazard level and any special use or handling requirements.
- Fire extinguishers which are provided by Power are available for general use. They are generally located at entrances, stair wells, and on each floor. If a fire extinguisher is used, return it immediately to the project trailer to replace it with a charged extinguisher.
- Contractors providing temporary heating must develop and provide to Power a plan that includes:
 - Heater, valve, manifold, and hose locations;
 - Fuel source and location;
 - Temperature and atmospheric monitoring;
 - Enclosures and exhaust ventilation;
 - Fire protection and prevention methods, including fire extinguishers as outlined in this section;
 - Responsible parties and emergency contacts;
 - Inspection, maintenance, and updates of the system and this plan.

CRANES AND RIGGING

Cranes

All crane and hoisting operations, including rigging, must be completed in accordance with 29 CFR 1926 Subpart CC and Subpart H.

- All lift service cranes shall have anti-two block devices and load moment indicators (LMI) installed and functioning properly during operations.
- Pick and carry operations with rubber-tire mobile cranes is not permitted unless specifically permitted by the crane manufacturer and a method of procedure is created and followed by the subcontractor.
- All hoisting classified as a "Critical Lift" requires additional planning and must be reviewed by the Power project team. A critical lift is defined as a lift that exceeds 75% of the rated capacity of the crane, multiple crane picks, aircraft picks, and/or high-risk lifts (long lead items, hoisting personnel, or hoisting over occupied space). A minimum lift plan must include:
 - Completed Power **Critical Lift form** or equivalent;
 - Load description (weight, center of gravity, etc.);
 - Crane set-up, placement, distances, load bearing pressures, etc.;
 - Rigging configuration.
- A third-party inspection is required for all cranes on an annual basis.
- The operator (competent person) responsible for the crane operation is to complete Power's **Mobile Crane Checklist** at the start of the shift and when the crane is moved on-site, and new hazards are identified. The subcontractor utilizing any crane is solely responsible for inspecting

Subcontractor Site Safety Requirements and Procedures

the crane as required and must submit these inspections to Power on a monthly basis or more frequently upon request.

- The subcontractor in charge of the crane shall ensure that the capacity, ground conditions, and all other conditions associated with the crane are acceptable including scanning for potential underground hazards or deficiencies. If the conditions are not acceptable, the subcontractor shall notify Power in writing their proposal to implement any corrections or modifications necessary.
- When multiple subcontractors utilize the same crane, each subcontractor is solely responsible for compliance with OSHA Subpart CC, all site requirements, coordination with other contractors involved with the crane, and control of the operation during said use.
- Power's **Tower Crane Checklist** must be completed by the subcontractor prior to erecting the tower crane; throughout the duration of tower crane use at the project; jumping the tower crane; and prior to dismantling the tower crane.
- The subcontractor responsible for providing the tower crane must provide the following:
 - Compliance with FAA requirements including all determinations, notices and required elements;
 - Concrete barriers around the tower crane base where exposed to traffic or equipment;
 - A physical enclosure designed to prohibit access to the tower crane by unauthorized individuals at each potential exposure point;
 - Communication systems as required by the authority having jurisdiction;
 - A third-party inspection of the crane upon completion of the installation and annually thereafter;
 - Copy of said third party inspections;
 - Notice of re-torque completion and any other required maintenance;
 - Copy of settlement readings for the tower crane and base;
 - Copy of any other information required by the authority having jurisdiction.
- The following are additional items regarding crane use:
 - The swing radius of the crane must be barricaded or otherwise guarded;
 - One signal person is permitted to communicate with the crane operator at a time, and they must coordinate the agreed upon signals with the operator (hand signals, radio, hard line, etc.) prior to starting the operation;
 - Cell phone use is prohibited while operating a crane (cell phone or 2-way phone is not permitted for crane signaling);
 - Loads shall be controlled with a non-conductive tagline, unless the use of the tagline would pose a greater hazard;
 - Operators are responsible for identifying all overhead obstructions that may impact any portions of the machine or the load. Where there are other cranes or articulating pieces of equipment (i.e., pump truck, conveyors, MEWP), communication between operators shall be established.
 - All subcontractors utilizing the crane are responsible for appointing a lift director and submitting proof of training to Power for qualified rigger(s), signal person(s) and crane operator(s).
- Hoisting personnel is only permitted when all other options are found to be infeasible. Subcontractor must provide a plan in accordance with subpart CC and submit to Power for review.

Subcontractor Site Safety Requirements and Procedures

Rigging and Material Handling

- Each subcontractor is responsible for complying with rigging requirements set forth by OSHA, ASME and rigging manufacturers. Rigging equipment must not be used beyond its rated capacity.
- Rigging shall be inspected prior to use and as necessary throughout the course of the day by the subcontractor's Qualified Rigger. If any rigging is found to be damaged or missing identification tags, it shall be removed from service immediately.
- Stored materials are to be stacked neat and orderly. Materials must be stacked and/or secured in a manner to prevent tipping, falling, shifting, or rolling and to maintain a clear path of travel.
- Material should be stored in a manner that allows for ease of movement (i.e., on carts or pallets) and minimizes the amount of force and personnel handling the materials.
- The use of man-made boxes for debris removal or personnel hoisting is strictly prohibited.
- Subcontractor should address ergonomic risk areas during planning (i.e., Daily Huddle/Job Hazard Analysis), including workstation setup, housekeeping, body position, lifting/carrying techniques, excessive vibrations, etc.

EQUIPMENT REQUIREMENTS

All self-propelled construction equipment shall be maintained, equipped, inspected and operated in accordance with all OSHA and manufacturers' requirements (subcontractor is solely responsible for implementing these provisions).

- Seatbelts must be worn in equipment when required by OSHA, the manufacturer or when the equipment is equipped with a roll-over protective structure (ROPS).
- Cell phone use is prohibited while operating a piece of equipment.
- Personnel shall not be transported or ride on equipment or vehicles that are not equipped with seats for passengers. Riding in the back of pickup trucks or on equipment without the use of a seatbelt is prohibited.
- Bi-directional earthmoving equipment and motor vehicles with an obstructed view to the rear shall be equipped with a functioning warning horn and an automatic back-up alarm. Equipment working in the street must also be equipped with a functioning beacon light and slow-moving vehicle symbol.
- Equipment operators shall observe all posted speed limits and a reasonable speed when operating on site.
- UTV's (Utility Terrain Vehicles) operated on Power projects must be equipped with the following safety accessories:
 - Functioning Horn;
 - Beacon Light;
 - Pennant Flag.
- Subcontractors using equipment on the project with the potential for leaks or spills, with the potential to create an environmental impact, must maintain measures on-site to control and dispose of said materials in the event of a release.

Forklifts

- Only trained and authorized personnel will be allowed to position or operate any type of powered industrial truck (forklift). These individuals shall perform pre-operational inspections prior to each shift. Documentation shall be kept on their persons and made available to Power upon request.

Subcontractor Site Safety Requirements and Procedures

- Forklifts shall be operated in accordance with the manufacturer's specifications and requirements.

Drone Usage

- Subcontractors are not permitted to utilize drones on Power projects without prior written approval and compliance with Power's ***Drone Operation Policy***. The subcontractor is solely responsible for: compliance with all federal, state, and local requirements; providing all applicable insurance coverages; all damages arising out of the drone use.

Rail Safety

- Periodically, operations on Power projects will occur in proximity to rail systems. The affected subcontractors must provide the following information to Power as part of a collaborative Construction Process Plan (safe operations plan for working in proximity to rails): equipment information, employee training, job hazard analysis and method of procedures, schedules, insurance, and other applicable information (based on the specific rail owner/operator requirements). Each subcontractor is solely responsible for the rail-specific requirements and Power's ***Rail Safety Program***.

STEEL ERECTION

All steel erection activities shall comply with 29 CFR 1926 Subpart R (except for fall protection; additional requirements defined in this document).

- The following items must be addressed for steel operations as part of the subcontractor's site-specific safety and health plan:
 - When special or unusual hazards will be encountered (i.e., work over existing structures, near utilities or water);
 - Plan for accessing work including delivery trailers;
 - Plan for securing items overhead;
 - Plan for controlling access into the erection area;
 - Fall protection plan including rescue procedures.
- Power's "***Authorization to Proceed with Steel Erection***" form must be completed with the steel erector prior to the commencement of steel erection. This form may not be substituted with a subcontractor's form.
- Multiple lifts of structural members must be done in accordance with Subpart R and crane manufacturer's requirements. The maximum number of allowed pieces per lift is five.
- If work is performed within or adjacent to occupied structures, the subcontractor will be required to make provisions for fire protection, and the safe removal of all welding fumes from the building. The methods shall be submitted to Power prior to the start of the work and will be the subcontractor's responsibility to implement and manage.

EXCAVATIONS AND CONFINED SPACES

All excavation work will conform to Power's ***Utility Locate and Overhead Powerline Policy and Procedures*** and the requirements of 29 CFR 1926 Subpart P.

- No excavation shall commence on site, regardless of size, depth, or equipment used unless the operation has been authorized by Power through an ***Excavation Permit*** procedure to ensure the

Subcontractor Site Safety Requirements and Procedures

dig area has been evaluated and marked for existing utilities, and that adequate cave in protection is provided as required.

- Each subcontractor is responsible for one-call notifications, obtaining their own dig authorization number, obtaining refreshes as required, and required to provide and coordinate secondary independent locates. All investigation and associated excavating will be done in accordance with Power's Utility Locate and Overhead Powerline Policy and Procedures.
- Independent secondary locates will be completed by subcontractors doing work that penetrates the surface. Subcontractor is solely responsible for implementing the appropriate means and methods to identify all below-grade exposures. This requirement includes confirming the capabilities and limitations of said means and methods. If a primary locator is unable to locate on the property, an additional independent locate will be completed. Additional secondary locates will be required if conditions have been altered when subcontractor returns to site (i.e., marks have been removed, additional utilities installed). See Power's ***Utility Locate and Overhead Powerline Policy and Procedures*** for alternative measures for capturing and managing utility markings.
- Video recording of existing sewers will be completed by the subcontractor conducting the underground utility work. Prior to building turnover, the plumbing subcontractor is responsible for cleaning and documenting all drains. This information must be provided to Power upon completion of the video documentation. The subcontractor must notify Power immediately of any defects or existing damage to the sewer or manholes.
- Once within 3-feet of a utility mark (in any direction) and at the intersection of any utilities, hand excavation is required.
- Each subcontractor is responsible for barricading, protecting, and/or covering any unattended excavation, as warranted by the size and exposure of said excavation.
- Each subcontractor engaged in excavation work must have a person designated as the "Competent Person" (as defined by OSHA) to ensure compliance with the OSHA standard for excavations. The name of that person and their qualifications will be provided to Power before work begins.
- Atmospheric testing must be performed in excavations 4' or deeper that are near hazardous areas or pose a possibility for an environmental threat (e.g., landfills, near gas pipes, areas with contaminated soil, etc.). The Competent Person must make the determination if testing is required. Excavations deemed hazardous through testing and/or soil analysis will require a job hazard analysis and emergency planning (i.e., rescue plan, emergency equipment).
- Affected subcontractor(s) must provide a written exposure control plan, including processes for training, air monitoring, rescue, access and egress, entry procedures, prior to subcontractor employees entering any confined spaces on the project. Subcontractors are solely responsible for compliance with 29 CFR 1926.1200 Subpart AA.

CONCRETE AND MASONRY

- All silica-generating processes must be conducted in accordance with the 29 CFR 1926.1153 Silica standard including the implementation of integrated water delivery methods, engineering controls, and other controls. Silica-generating processes will be conducted as to not expose surrounding employees and existing facilities to levels of respirable silica dust above the action level defined in 29 CFR 1926.1153. The creating employer is solely responsible for implementing the aforementioned control measures.
 - Each subcontractor, prior to commencing work on the project, must complete and submit a [Silica Hazard Assessment](#). Subcontractors whose work generates respirable silica must

Subcontractor Site Safety Requirements and Procedures

- provide a project-specific written exposure control plan incorporating all required elements of the 29 CFR 1926.1153 Silica standard and submit to Power.
- All programs, training, hazard recognition, air sampling, and control methods required by OSHA or other entities must be implemented by the subcontractor creating the silica-related exposure.
- Contractors are required to provide silica sampling results upon request.
- Concrete subcontractors (or masonry subcontractor when applicable) are responsible for notifying Power project team of any changes or modifications to anchor bolts and any issues related to concrete strength or performance.
- The following items must be addressed for concrete operations as part of the subcontractor's site-specific safety and health plan:
 - Falling object and overhead protection including physically securing of perimeter shores and shores around interior openings;
 - Falling object, overhead and fall protection methods for concrete core form operations;
 - Falling object, overhead and fall protection methods for concrete decking, stripping and other leading-edge operations;
 - Post-tension stressing operation hazard control plan including access, restricted access zones, hot work, falling object and overhead protection, etc.;
 - Rebar and impalement protection plan;
 - Concrete remedial work hazards (i.e., silica);
 - Hygiene and burn prevention procedures;
 - Storage and control of materials;
 - Deck and floor loading requirements;
 - Crane, placing boom and other equipment operations;
 - Site access planning, methods and control including deck access;
 - Lookouts and other platforms;
 - Silica control plan;
 - All other project specific concrete exposures.

DEMOLITION AND ABATEMENT

All demolition and abatement activities shall follow 29 CFR 1926 Subparts T and Z.

- Power Construction will request the assistance of the demolition subcontractor in completing the ***Demolition Planning Worksheet*** prior to the start of any demolition project.
- Subcontractor shall be responsible for exploratory work involved in their scope (i.e., procuring initial and ongoing samples, utility locates, floor scanning, engineering survey, etc.)
- The work area shall be inspected prior to the start of work and throughout the duration of the project for the presence of any hazards or transients.
- The following items must be addressed for demolition operations as part of the subcontractor's site-specific safety and health plan:
 - Demolition Methods (i.e., manual/mechanical, appropriate tools and equipment);
 - Structural Stability (i.e., bracing/shoring);
 - Temporary Power and Lighting;
 - Dust and Debris Control Methods;
 - Exposure Assessment, Monitoring, and Control Plans (environmental or industrial hygiene exposures);

Subcontractor Site Safety Requirements and Procedures

- Falling Object and Overhead Protection Plan;
- Site and Public Protection Plan;
- Disruption Avoidance Plan (i.e., facilities/utilities).

TRAFFIC AND PEDESTRIAN CONTROL

- Subcontractors whose work impacts pedestrian and vehicle traffic must supply Power with a written Traffic and Pedestrian Control Plan prior to starting this work.
- Signs shall conform to the requirements of 29 CFR 1926.200 and ANSI Z35.1-1968.
- Work on or adjacent to roadways must be conducted in accordance with the applicable statutes and the current version of the Manual of Uniform Traffic Control Devices (MUTCD). Certified Flagger control must be provided in accordance with applicable statutes.
- Sufficient chain link fencing or orange "barricade" fencing must be installed as appropriate to separate active construction areas or hazardous areas from active occupied work areas and to protect the public. The fence must be sufficiently supported and marked with appropriate signage.
- Gates must remain closed and secured (i.e., chains, locks, bungee cords) when not in use.
- Signs and barricades must be removed immediately when no longer applicable or required.

Subcontractor Site Safety Requirements and Procedures

Appendix A – CCIP Safety Program Requirements

SAFETY EDUCATION WORKSHOPS

Subcontractor principals, Project Managers, Superintendents, Safety Representatives and Site Supervisors are required to attend a CCIP and safety expectation workshop prior to commencing work at the project. The purpose of the workshop is to provide a clear understanding of the safety and risk management expectations for the project, review the insurance protocols for the project and address any concerns in advance of said subcontractor's mobilization. Work will not commence until a pre-construction meeting has occurred at the project with said subcontractor.

INCIDENT REPORTING AND RETURN TO WORK PROGRAM

Subcontractors must report all injuries, occupational-related illnesses, property damage and other project-related incidents to a Power supervisor immediately. All subcontractors must provide a written report with facts from the incident investigation to the Project Safety Supervisor within 24 hours. Failure to report a claim immediately and or to submit written report within 24 hours of an occurrence may result in a \$5000 penalty per occurrence.

All subcontractors understand that having a comprehensive and effective return to work program is a precursor to bidding the project. The return to work program must be able to immediately accommodate any and all reasonable medical restrictions that occur as a result of incident on the project.

- Only subcontractor employees involved in an incident on the Power specific project are eligible for return to work / "light duty" restrictions on the project;
- On an as-needed basis, contractors may be required to identify, in writing, potential return-to-work job tasks with corresponding physical requirements that can be reviewed by a treating physician;
- Return to work coordination with Power, the carrier and all other applicable parties is required as soon as reasonably possible after an incident.

Each subcontractor is required to provide provisions to accommodate restricted duty for work-related injuries and illnesses as part of a comprehensive Return to Work Program. Subcontractors who fail to accommodate restricted duty will, at their cost, be subject to one or more of the following (per occurrence):

- Utilize a placement service for restricted duty accommodations in coordination with Power and its insurers.
- Be responsible for all costs associated with temporary total disability payments for workers on restricted duty plus administration cost.
- Subject to terms in accordance with the subcontract agreement.

SUBSTANCE ABUSE PROGRAM

Each Employer must include in its Substance Abuse policy and program the requirements for drug and alcohol testing under the following circumstances:

- Pre-placement Testing – A pre-placement drug and alcohol screening test must be administered to all job applicants and Employees who will be assigned to work at the Project. Power's




Subcontractor Site Safety Requirements and Procedures

Substance Abuse Program (available upon written request) establishes the parameters of the testing protocols, non-negative/positive tests, and all other requirements for testing. The Employer will verify that the required drug and alcohol screening tests has been conducted no more than 48 hours prior to the Employee's assignment to the Project and that the results of the tests are negative, prior to the Employee beginning work on the Project. The authorized representative shall be the sole individual authorized to communicate with Power representatives regarding any testing program procedures and test results. Only the authorized representative shall provide written proof of negative results to Power. Employees who have provided proof of negative drug and alcohol tests on a project requiring pre-placement tests may utilize these test results for a period of six months from the date of the testing to comply with this requirement on each Power project the individual may be assigned (Power does not recognize or accept drug and/or alcohol testing programs or testing results from other non-Power projects or programs not sponsored by the employee's union-sponsored program). On projects where a Project Labor Agreement (PLA) has been executed and includes substance abuse testing provisions, those requirements may be used to supplement compliance with the Substance Abuse Policy and testing requirements of these safety requirements.

- The subcontractor is responsible for all costs borne out of substance abuse testing and any other associated costs (Power is not to be charged for any costs associated with substance abuse testing).

Subcontractor Site Safety Requirements and Procedures

Appendix B – Roof Davit Considerations



Subcontractor Site Safety Requirements and Procedures

Appendix C – City of Chicago Requirements

All construction activities within the limits of the City of Chicago must comply with all [work site safety and operations ordinances, rules, and regulations](#) set forth by the city including, but not limited to crane operations, scaffold use and erection, and site cleanliness.